

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	43	@ad<"20021023" and ((optimiz\$3 or optimization) with (multi with objective with function))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/09 14:11
L6	4	L5 and pareto and gradient	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/09 14:11
L7	2	L6 and intersection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/09 09:43
L8	0	L7 and (negative with gradient)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/09 09:43
L9	17	@ad<"20021023" and ((optimiz\$3 or optimization) with (multi adj objective with function))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/09 14:11
L10	4	9 and pareto and gradient	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/09 14:12
S1	0	10/691868	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 15:14
S2	2	@ad<"20021023" and ((optimiz\$3 or optimization) with (multi with objective with function)) and (interval with (technique or method)) and domain	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 15:28
S3	2	S2 and pareto	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 15:28

## EAST Search History

S4	2	S3 and gradient	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 16:34
S5	0	S4 and subdomain	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 15:39
S6	2	S4 and compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 15:30
S7	2	S4 and intersection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 15:39
S8	0	S3 and (gradient with (region or area or zone))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 17:02
S9	2	S3 and (scalar with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/07 17:02
S10	2	S9 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 08:45
S11	2	S10 and bound	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 08:46
S12	2	@ad<"20021023" and ((optimiz\$3 or optimization) with (multi with objective with function)) and (interval with (technique or method)) and domain	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 09:10
S13	2	S12 and pareto	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 10:05

## EAST Search History

S14	2	S13 and gradient	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 08:45
S15	2	S14 and intersection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 10:06
S16	2	S15 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 08:45
S17	2	S16 and bound	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 08:47
S18	3	@ad<"20021023" and ((optimiz\$3 or optimization) with (multi with objective with function)) and (interval with (technique or method or process))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 10:04
S19	2	@ad<"20021023" and ((optimiz\$3 or optimization) with (multi with objective with function)) and (interval with (technique or method or process)) and domain	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 09:24
S21	43	@ad<"20021023" and ((optimiz\$3 or optimization) with (multi with objective with function))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 10:04
S22	3	S21 and (interval with (optimization or optimiz\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 11:16
S23	4	S21 and pareto and gradient	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 10:05
S24	2	S23 and intersection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 10:06

## EAST Search History

S25	3	S22 and (compar\$3 or comparison)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/08 11:19
S26	3	S25 and adaptive	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/09 09:43